

- Able, K.W. see Fahay, M.P., 1715
- Adams, A.M., and Rausch, R.L. A revision of the genus *Orthosplanchnus* Odhner, 1905 with consideration of the genera *Odhneriella* Skriabin, 1915 and *Hadwenius* Price, 1932 (Digenea: Campulidae), 1268
- Adler, G.H., and Wilson, M.L. Demography of the meadow vole along a simple habitat gradient, 772
- Aho, J.M. see Lydeard, C., 2021
- Alexander, J.E., Jr. see Crowl, T.A., 513
- Alvarez, F. see Braza, F., 2047
- Anderson, R.C. see Bartlett, C.M., 612
- Anderson, R.C. see Bartlett, C.M., 1328
- Anderson, R.C. see Bartlett, C.M., 2821
- Anderson, R.C. see Bartlett, C.M., 2883
- Anderson, R.C. see Wong, P.L., 2893
- Anderson, S.H. see Menkens, G.E., Jr., 343
- Andreeva, R.V. The morphological adaptations of horse fly larvae (Diptera: Tabanidae) to developmental sites in the Palearctic Region and their relationship to the evolution and distribution of the family, 2286
- Andrusiak, L.A., and Harestad, A.S. Feeding behaviour and distance from burrows of Columbian ground squirrels, 381
- Ankney, C.D. see Brodsky, L.M., 1434
- Ankney, C.D. see Lagerquist, B.A., 2694
- Anthony, R.G. see Morrison, M.L., 805
- Antonelis, G.A. see Feldkamp, S.D., 872
- Arai, H.P. see Dixon, B.R., 51
- Arnaud, J. see Cuoc, C., 2569
- Arnaud, J. see Cuoc, C., 2579
- Arnborn, T., and Whitehead, H. Observations on the composition and behaviour of groups of female sperm whales near the Galapagos Islands, 1
- Arsanto, J.-P. see Coulon, J., 994
- Asaga, T. see Le Boeuf, B.J., 2514
- Asper, E.D. see Stevens, T.A., 2592
- Athias-Binche, F., Bloszyk, J., and Olszanowski, Z. *Dinychus ruseki* n.sp. (Acari: Uropodina) from Canada, with remarks on the habitats and distribution of the members of the genus *Dinychus*, 1482
- Audsley, N. see Lechleitner, R.A., 2655
- Audsley, N. see Lechleitner, R.A., 2662
- Audy, M.C. see Bonnin, M., 759
- Baggerman, B. On the relationship between gonadal development and response time to photostimulation of sticklebacks living under natural conditions and under constant short-day conditions for long periods of time, 126
- Bailey, R.E. see Groot, C., 1670
- Bailey, R.E., Margolis, L., and Workman, G.D. Survival of certain naturally acquired freshwater parasites of juvenile sockeye salmon, *Oncorhynchus nerka* (Walbaum), in hosts held in fresh and sea water, and implications for their use as population tags, 1757
- Baldwin, P.J. see Frost, B.J., 1955
- Ballard, K.A., Sivak, J.G., and Howland, H.C. Intraocular muscles of the Canadian river otter and Canadian beaver and their optical function, 469
- Bandoni, S.M. see Brooks, D.R., 2609
- Barclay, R.M.R. see Mackey, R.L., 1167
- Baron, G. see Dulude, A.-M., 1249
- Barrett, B.A. see Bates, D.J., 1246
- Barrett, M.W. see Proulx, G., 1074
- Barrette, C. see Hébert, P., 575
- Barta, J.R. see Desser, S.S., 2640
- Barta, R.M., Keith, L.B., and Fitzgerald, S.M. Demography of sympatric arctic and snowshoe hare populations: an experimental assessment of interspecific competition, 2762
- Bartlett, C.M., Anderson, R.C., and Bush, A.O. Taxonomic descriptions and comments on the life history of new species of *Eulimdana* (Nematoda: Filarioidea) with skin-inhabiting microfilariae in the Charadriiformes (Aves), 612
- Bartlett, C.M., and Anderson, R.C. Some observations on *Pseudomenopon pilosum* (Amblycera: Menoponidae), the louse vector of *Pelecitus fulicaeae* (Nematoda: Filarioidea) of coots, *Fulica americana* (Aves: Gruiformes), 1328
- Bartlett, C.M., and Anderson, R.C. Mallophagan vectors and the avian filarioids: new subspecies of *Pelecitus fulicaeae* (Nematoda: Filarioidea) in sympatric North American hosts, with development, epizootiology, and pathogenesis of the parasite in *Fulica americana* (Aves), 2821
- Bartlett, C.M., Anderson, R.C., and Wong, P.L. Development of *Skrjabinocerca prima* (Nematoda: Acuarioidea) in *Hyaella azteca* (Amphipoda) and *Recurvirostra americana* (Aves: Charadriiformes), with comments on its precocity, 2883
- Bartlett, C.M. see Wong, P.L., 2893
- Bates, D.J., Barrett, B.A., and McKeown, B.A. Daily variation in plasma growth hormone of juvenile coho salmon, *Oncorhynchus kisutch*, 1246
- Bauer, A.M., and Russell, A.P. Supraorbital ossifications in geckos (Reptilia: Gekkonidae), 678
- Bauer, A.M. see Rosenberg, H.I., 884
- Baughman, J.F. see Brussard, P.F., 330
- Beacham, T.D. see Murray, C.B., 596
- Beacham, T.D. Effect of siblings on growth of juvenile coho salmon (*Oncorhynchus kisutch*), 601
- Beacham, T.D., and Murray, C.B. Variation in developmental biology of sockeye salmon (*Oncorhynchus nerka*) and chinook salmon (*O. tshawytscha*) in British Columbia, 2081
- Beattie, L.A., and Nudds, T.D. Differential habitat occupancy by goldeneye ducklings (*Bucephala clangula*) and fish: predator avoidance or competition?, 475
- Bech, C. see Jenssen, B.M., 669
- Beilin, S.A., and Pasztor, V.M. Modulation of a rhythmically active crayfish muscle by the neuropeptide proctolin, 73
- Bell, G.L. see Churcher, C.S., 1210
- Bell, G.P. see Kurta, B., 2468
- Belton, P. The structure and probable function of the internal cuticular parts of Johnston's organ in mosquitoes (*Aedes aegypti*), 2625
- Bendell, J.F. see Naylor, B.J., 969
- Bendell, J.F. see Innes, D.G.L., 1318
- Bennett, G.F., and Peirce, M.A. The haemoproteids of the avian family Phasianidae, 1557

- Bennett, G.F. see Bishop, M.A., 2676
- Bennett, G.F. New species of haemoproteids from the avian families Paridae and Sittidae, 2685
- Bennett, G.F., and Peirce, M.A. *Hepatozoon parus* n.sp. from the Paridae and redescription of *H. atticorae* (de Beaurepaire Aragão, 1911) Hoare, 1924 from the Hirundinidae, 2859
- Benton, M.J. Energy budgets and reproductive ecologies of mayflies occupying disparate thermal environments, 2782
- Benz, G.W. Developmental stages of *Alelion lobatus* Cressey, 1970 (Copepoda: Euryphoridae) found parasitic on the sandbar shark (*Carcharhinus plumbeus* (Nardo, 1827)) in the western North Atlantic, and a phylogenetic analysis of the genus *Alelion* Krøyer, 1863, 1578
- Bereson, R.C. see Kroodsmas, D.E., 447
- Berglund, I. see Lundqvist, H., 1733
- Bergström, E. see Rydevik, M., 942
- Bergström, R. see Cederlund, G., 1516
- Betteridge, K.J. see Desautels, D.M., 1148
- Beverley-Burton, M. see Wheeler, T.A., 136
- Beverley-Burton, M. see Wheeler, T.A., 706
- Beverley-Burton, M. see Klassen, G.J., 1869
- Bilyj, B., and Davies, I.J. Descriptions and ecological notes on seven new species of *Cladotanytarsus* (Chironomidae: Diptera) collected from an experimentally acidified lake, 948
- Bishop, M.A., and Bennett, G.F. The haemoproteids of the avian order Strigiformes, 2676
- Blackmore, M.S. The efficacy of melanotic encapsulation as a defense against parasite-induced mortality in snowpool mosquitoes (Diptera: Culicidae) infected by mermithid nematodes, 1725
- Blake, R.W. see Harper, D.G., 1929
- Blakney, J.S., and DeVenney, R.L. Tissue solubilizer as an agent for isolating dense animal structures for scanning electron microscope examination, 981
- Błoszyk, J. see Athias-Binche, F., 1482
- Boag, D.A. see Wiggett, D.R., 42
- Boag, D.A. see Dhindsa, M.S., 228
- Boag, D.A. see Pattenden, R.K., 495
- Boag, D.A. see Pattenden, R.K., 1084
- Boag, D.A. see Wiggett, D.R., 1447
- Boag, P.T. see Plante, Y., 158
- Boates, J.S., and Smith, P.C. Crawling behaviour of the amphipod *Corophium volutator* and foraging by Semipalmated Sandpipers, *Calidris pusilla*, 457
- Boates, J.S., and Goss-Custard, J.D. Foraging behaviour of oystercatchers *Haematopus ostralegus* during a diet switch from worms *Nereis diversicolor* to clams *Scrobicularia plana*, 2225
- Boertje, R.D. see Gasaway, W.C., 325
- Boeuf, G., Uin, L.M., and Eales, J.G. Plasma levels of free and bound thyroid hormones during parr - smolt transformation in Atlantic salmon, *Salmo salar* L., 1654
- Bogart, J.P. see Lowcock, L.A., 350
- Bogart, J.P. see Licht, L.E., 812
- Bogart, J.P. see Lannoo, M.J., 1911
- Bolduc, F., and FitzGerald, G.J. The role of selected environmental factors and sex ratio upon egg production in threespine sticklebacks, *Gasterosteus aculeatus*, 2013
- Bolz, A. see Stevens, T.A., 2592
- Bonnin, M., Mondain-Monval, M., Audy, M.C., and Scholler, R. Basal and gonadotropin releasing hormone stimulated gonadotropin levels in the female red fox (*Vulpes vulpes* L.). Negative feedback of ovarian hormones during anoestrus, 759
- Borg, B. see Lundqvist, H., 1733
- Bortolotti, G.R. Factors influencing the growth of Bald Eagles in north central Saskatchewan, 606
- Bossart, G.D. see Stevens, T.A., 2592
- Bouillon, D.R., and Dempson, J.B. Metazoan parasite infections in landlocked and anadromous Arctic charr (*Salvelinus alpinus* Linnaeus), and their use as indicators of movement to sea in young anadromous charr, 2478
- Boulé, V., and FitzGerald, G.J. Effects of constant and fluctuating temperatures on egg production in the threespine stickleback (*Gasterosteus aculeatus*), 1599
- Bourbonnais, D.H. see Spear, P.A., 908
- Bousfield, E.L., and Holsinger, J.R. A new crangonyctid amphipod crustacean from hypogean fresh waters of Oregon, 963
- Boutillier, R.G. Introduction, 2921
- Boutillier, R.G., and Ferguson, R.A. Nucleated red cell function: metabolism and pH regulation, 2986
- Boutillier, R.G. see McDonald, D.G., 3046
- Braekvelt, C.R. Fine structure of the retinal epithelium, Bruch's membrane, and choriocapillaris of the pigeon (*Columba livia*), 795
- Bray, S.A. see Scott, J.S., 1476
- Braza, F., and Alvarez, F. Utilisation de l'habitat et organisation sociale du sanglier (*Sus scrofa* L.) à Doñana (Sud-Ouest de l'Espagne), 2047
- Brazeau, F. see Thompson, I.D., 1816
- Bridges, C.R., and Morris, S. Respiratory pigments: interactions between oxygen and carbon dioxide transport, 2971
- Brinckmann-Voss, A. *Sarsia cliffordi* n.sp. (Cnidaria, Hydrozoa, Anthomedusae) from British Columbia, with distribution records and evaluation of related species, 685
- Brinkhurst, R.O. A phylogenetic analysis of the Lumbriculidae (Annelida, Oligochaeta), 2731
- Brodeur, R.D. Neustonic feeding by juvenile salmonids in coastal waters of the Northeast Pacific, 1995
- Brodsky, L.M., Ankney, C.D., and Dennis, D.G. Social experience influences preferences in black ducks and mallards, 1434
- Brooks, D.R. A summary of the database pertaining to the phylogeny of the major groups of parasitic plathyhelminths, with a revised classification, 714
- Brooks, D.R. see Macdonald, C.A., 1421
- Brooks, D.R. see Macdonald, C.A., 2301
- Brooks, D.R. Erratum: A summary of the database pertaining to the phylogeny of the major groups of parasitic plathyhelminths, with a revised classification, 2607
- Brooks, D.R., Bandoni, S.M., Macdonald, C.A., and O'Grady, R.T. Aspects of the phylogeny of the Trematoda Rudolphi, 1808 (Plathyhelminthes: Cercomeria), 2609
- Brooks, R.J. see Shilton, C.M., 2740
- Brown, B.V. Testing phylogenetic hypotheses: new species of *Gymnophora* Macquart (Diptera: Phoridae) from Japan and Nepal, with an updated world classification, 2543
- Brown, G.E. see Chew, G.L., 641
- Brown, R.G.B., and Gaskin, D.E. Summer zooplankton distributions at the surface of the outer Bay of Fundy, eastern Canada, 2725
- Brunet, M. see Cuoc, C., 2569
- Brunet, M. see Cuoc, C., 2579
- Brussard, P.F., Baughman, J.F., Murphy, D.D., Ehrlich, P.R., and Wright, J. Complex population differentiation in checkerspot butterflies (*Euphydryas* spp.), 330

- Buech, R.R., Rugg, D.J., and Miller, N.L. Temperature in beaver lodges and bank dens in a near-boreal environment, 1061
- Bunnell, F.L. see Gillingham, M.P., 24
- Bunnell, F.L. see Gillingham, M.P., 1353
- Burger, A.E. see Piatt, J.F., 1523
- Burleson, M.L., and Smatresk, N.J. The effect of decerebration and anesthesia on the reflex responses to hypoxia in catfish, 630
- Burns, J.A., and McGillivray, W.B. A new prairie dog, *Cynomys churcheri*, from the Late Pleistocene of southern Alberta, 2633
- Burridge, M. see Winterbottom, R., 2398
- Burt, M.D.B. see Greaves, T.A., 502
- Bush, A.O. see Bartlett, C.M., 612
- Butler, P.J. Metabolic adjustments to breath holding in higher vertebrates, 3024
- Byard, E.H. see Woods, R.A., 2422
- Bye, K. see Halvorsen, O., 1200
- Byers, B.E. see Kroodsmas, D.E., 447
- Cade, W.H. Nightly and hourly rates of attraction of flying field crickets, *Gryllus integer*, to conspecific song, 2540
- Caillol, M., Meunier, M., Mondain-Monval, M., and Simon, P. Seasonal variations in testis size, testosterone and LH basal levels, and pituitary response to luteinizing hormone releasing hormone in the brown hare, *Lepus europaeus*, 1626
- Calhoon, R.E. see Haspel, C., 178
- Cameron, J.N., and Iwama, G.K. Compromises between ionic regulation and acid-base regulation in aquatic animals, 3078
- Campana, S.E. Otolith microstructure of three larval gadids in the Gulf of Maine, with inferences on early life history, 1401
- Carré, C. see Carré, D., 2169
- Carré, D., et Carré, C. Acquisition de cnidocytes et différenciation de pseudocolloblastes chez les larves et les adultes de deux cténophores du genre *Haeckelia* Carus, 1863, 2169
- Cary, J.R. see Marström, V., 658
- Case, R. see Graf, R., 1112
- Castilho, F., Machado, J., Reis, M.L., and Sá, C. Ultrastructural study of the embryonic and larval shell of *Anodonta cygnea*, 1659
- Ceballos, G. see Hasson, O., 1203
- Cederlund, G., Bergström, R., and Sandegren, F. Winter activity patterns of females in two moose populations, 1516
- Cerqueira, R. see Périssé M., 775
- Chan, K.M., Davidson, W.S., Hew, C.L., and Fletcher, G.L. Molecular cloning of metallothionein cDNA and analysis of metallothionein gene expression in winter flounder tissues, 2520
- Chant, D.A., and Yoshida-Shaul, E. A world review of the *tiliarum* species group in the genus *Typhlodromus* Scheuten (Acari: Phytoseiidae), 1006
- Chardon, M. see Radermaker, F., 2090
- Charif, R.A. see Langbauer, W.R., Jr., 2604
- Charland, M.B. Size and winter survivorship in neonatal western rattlesnakes (*Crotalus viridis*), 1620
- Chen, G.J., and Dessler, S.S. The Coccidia (Apicomplexa: Eimeriidae) of frogs from Algonquin Park, with descriptions of two new species, 1686
- Chew, G.L., and Brown, G.E. Orientation of rainbow trout (*Salmo gairdneri*) in normal and null magnetic fields, 641
- Chia, F.-S. see Gibson, G.D., 914
- Chia, F.-S. see Qian, P.-Y., 2345
- Christian, D.P. Effects of dietary sodium and potassium on mineral balance in captive meadow voles (*Microtus pennsylvanicus*), 168
- Chulakasem, W., Nelson, J.A., and Magnuson, J.J. Interaction between effects of low pH and low ion concentration on mortality during early development of medaka, *Oryzias latipes*, 2158
- Churcher, C.S., Parmalee, P.W., Bell, G.L., and Lamb, J.P. Caribou from the Late Pleistocene of northwestern Alabama, 1210
- Clapham, P.J. see Mattila, D.K., 281
- Clapham, P.J. see Mattila, D.K., 2201
- Clarke, J.T., Moore, S.E., and Ljungblad, D.K. Observations on gray whale (*Eschrichtius robustus*) utilization patterns in the northeastern Chukchi Sea, July–October 1982–1987, 2646
- Cleator, H.J., Stirling, I., and Smith, T.G. Underwater vocalizations of the bearded seal (*Erignathus barbatus*), 1900
- Cloutier, C. see Hébert, C., 2384
- Coates, K.A. see Southward, E.C., 2776
- Colbo, M.H. *Simulium vittatum* (Simuliidae: Diptera), a black fly with a variable instar number, 1730
- Cole, L.J. see Verspoor, E., 1453
- Conn, J., Rothfels, K.H., Procunier, W.S., and Hirai, H. The *Simulium metallicum* species complex (Diptera: Simuliidae) in Latin America: a cytological study, 1217
- Conrad, K.F., and Pritchard, G. Female dimorphism and physiological colour change in the damselfly *Argia vivida* Hagen (Odonata: Coenagrionidae), 298
- Cook, S.R. see Proulx, G., 1074
- Cooke, K. see Groot, C., 1670
- Coombs, K. see Peterson, R.H., 1566
- Corkett, C.J. see McLaren, I.A., 552
- Corkett, C.J. see McLaren, I.A., 559
- Costa, D.P. see Pernia, S.D., 1752
- Costanzo, J.P. Effects of humidity, temperature, and submergence behavior on survivorship and energy use in hibernating garter snakes, *Thamnophis sirtalis*, 2486
- Coulon, J., Diano, M., Arsanto, J.-P., and Thouveny, Y. Remodeling processes during anterior regeneration of *Owenia fusiformis* (Polychaeta, Annelidae): a morphological and immunocytochemical survey, 994
- Cranford, J.A. see Derting, T.L., 937
- Crawford, R.L., and Edwards, J.S. Alpine spiders and harvestmen of Mount Rainier, Washington, U.S.A.: taxonomy and bionomics, 430
- Creelman, E. see Piatt, J.F., 1523
- Cressey, H.B. see Cressey, R., 2902
- Cressey, R., and Cressey, H.B. A new species of *Orbitacolax* (Copepoda: Bomolochidae) and redescrptions of two additional species, 2902
- Crête, M. Approximation of *K* carrying capacity for moose in eastern Quebec, 373
- Crête, M. see Le Hénaff, D., 1102
- Crews, D. see Krohmer, R.W., 987
- Crowl, T.A., and Alexander, J.E., Jr. Parental care and foraging ability in male water bugs (*Belostoma flumineum*), 513
- Csizy, M. see Frost, B.J., 1955
- Culp, J.M. Nocturnally constrained foraging of a lotic minnow (*Rhinichthys cataractae*), 2008
- Cuoc, C., Arnaud, J., Brunet, M., et Mazza, J. Structure, ultrastructure et essai d'interprétation fonctionnelle de l'appareil génital femelle d'*Hemidiaptomus ingens provinciae* et de *Mixodiaptomus kupelwieseri* (Copepoda, Calanoida). I. Les oviductes, 2569
- Cuoc, C., Arnaud, J., Brunet, M., et Mazza, J. Structure, ultrastructure et essai d'interprétation fonctionnelle de l'appareil génital femelle d'*Hemidiaptomus ingens provinciae* et de *Mixodiaptomus kupelwieseri* (Copepoda, Calanoida). II. L'a

- génitale, 2579
- Cusson, M., and McNeil, J.N. Ovarian development in female armyworm moths, *Pseudaletia unipuncta*: its relationship with pheromone release activities, 1380
- Cywinska, A., and Davies, R.W. Predation on the erpobdellid leech *Nepheleopsis obscura* in the laboratory, 2689
- da Fonseca, D. see Périssé, M., 775
- Dagg, A.I. Research publications on Canadian mammals, 1971-1986, 779
- Dailey, T.V., and Hobbs, N.T. Travel in alpine terrain: energy expenditures for locomotion by mountain goats and bighorn sheep, 2368
- Dardaillon, M. Age-class influences on feeding choices of free-ranging wild boars (*Sus scrofa*), 2792
- Das, M.K., and Nelson, J.S. Hybridization between northern redbelly dace (*Phoxinus eos*) and finescale dace (*Phoxinus neogaeus*) (Osteichthyes: Cyprinidae) in Alberta, 579
- Davidson, I.J. see Thompson, I.D., 1816
- Davidson, W.S. see Chan, K.M., 2520
- Davies, I.J. see Bilyj, B., 948
- Davies, R.W. see Linton, L.R., 55
- Davies, R.W. see Cywinska, A., 2689
- Davies, R.W. see Singhal, R.N., 2704
- Davis, R.A. see McDonald, H.G., 1159
- Daza, M. see Yates, L.R., 721
- de Buffrénil, V., Dziedzic, A., and Robineau, D. Répartition et déplacements des Dauphins de Commerson (*Cephalorhynchus commersonii* (Lacépède, 1804)) dans un golfe des îles Kerguelen; données du marquage individuel, 516
- de Buffrénil, V., and Schoevaert, D. Données quantitatives et observations histologiques sur la pachyostose du squelette du dugong, *Dugong dugon* (Müller) (Sirenia, Dugongidae), 2107
- DeLong, R.L. Feldkamp, S.D., 872
- de March, B.G.E. Salinity tolerance of larval and juvenile broad whitefish (*Coregonus nasus*), 2392
- Dempson, J.B. see Bouillon, D.R., 2478
- Deneka, T. see Way, C.M., 357
- Dennis, D.G. see Brodsky, L.M., 1434
- Denny, M. A limpet shell shape that reduces drag: laboratory demonstration of a hydrodynamic mechanism and an exploration of its effectiveness in nature, 2098
- Derleth, E.L., McAuley, D.G., and Dwyer, T.J. Avian community response to small-scale habitat disturbance in Maine, 385
- Derting, T.L., and Cranford, J.A. Influence of photoperiod on postnatal growth, sexual development, and reproduction in a semifossorial microtine, *Microtus pinetorum*, 937
- Desaulniers, D.M., Goff, A.K., Betteridge, K.J., Rowell, J.E., and Flood, P.F. Reproductive hormone concentrations in faeces during the oestrous cycle and pregnancy in cattle (*Bos taurus*) and muskoxen (*Ovibos moschatus*), 1148
- Desaulniers, D.M., King, W.A., Rowell, J.E., and Flood, P.F. The banded chromosomes of the muskox (*Ovibos moschatus*), 1155
- Desser, S.S. see Lom, J., 1372
- Desser, S.S. see Chen, G.J., 1686
- Desser, S.S., and Barta, J.R. *Nosema jirivavrai* n.sp. (Microsporea; Protozoa) from the leech *Batrachobdella picta* in Ontario, 2640
- DeVenney, R.L. see Bleakney, J.S., 981
- Dhindsa, M.S., Komers, P.E., and Boag, D.A. Nest height of Black-billed Magpies: is it determined by human disturbance or habitat type?, 228
- Diano, M. see Coulon, J., 994
- Dick, T.A. see Shostak, A.W., 1462
- Dietz, T.H. see Silverman, H., 198
- Dill, L.M., and Houtman, R. The influence of distance to refuge on flight initiation distance in the gray squirrel (*Sciurus carolinensis*), 233
- Dilworth, T.G. see McAlpine, D.F., 2244
- Dingle, H. see Snyder, R.J., 2448
- Dixon, B.R., and Arai, H.P. Differentiation of three species of *Hymenolepis* (Cestoidea) using enzyme isoelectric focusing on thin-layer agarose gels, 51
- Dixon, K.A. Effect of leg type and sex on autotomy in the Texas bush katydid, *Scudderella texensis*, 1607
- Dorizzi, M. see Servan, J., 1279
- Dorsey, E.M., Richardson, W.J., and Würsig, B. Factors affecting surfacing, respiration, and dive behaviour of bowhead whales, *Balaena mysticetus*, summering in the Beaufort Sea, 1801
- Downe, A.E.R. see Houseman, J.G., 864
- Downer, R.G.H. see Martin, R.J., 1495
- Drabek, C.M. Heart and ventricle weights of Antarctic penguins, 2602
- DuBois, S.D. see Gasaway, W.C., 325
- Duffield, D.A. see Stevens, T.A., 2592
- Dulude, A.-M., Baron, G., and McNeil, R. Influence of the type of territorial intruder on the aggressive response of Ring-billed Gulls, 1249
- Duman, J.G. see Kukal, O., 825
- Dutil, J.-D., Michaud, M., and Giroux, A. Seasonal and diel patterns of stream invasion by American eels (*Anguilla rostrata*) in the northern Gulf of St. Lawrence, 182
- Dwyer, T.J. see Derleth, E.L., 385
- Dyková, I. see Lom, J., 1372
- Dziedzic, A. see de Buffrénil, V., 516
- Eales, J.G. see Boeuf, G., 1654
- Eastman, M.D., Johnson, L.S., and Kermott, L.H. Ectoparasitism of nestling House Wrens, *Troglodytes aedon*, by larvae of the blow fly *Protophormia braueri* (Diptera: Calliphoridae), 2358
- Ebsary, B.A., Vrain, T.C., and Graham, M.B. Two new species of *Xiphinema* (Nematoda: Longidoridae) from British Columbia vineyards, 801
- Eckert, K.L. see Eckert, S.A., 2834
- Eckert, S.A., Eckert, K.L., Ponganis, P., and Kooyman, G.L. Diving and foraging behavior of leatherback sea turtles (*Dermochelys coriacea*), 2834
- Edgington, E.S. see Linton, L.R., 55
- Edwards, J.S. see Crawford, R.L., 430
- Ehrlich, P.R. see Brussard, P.F., 330
- Ekker, M. see Janssen, B.M., 669
- Elsner, R., Wartzok, D., Sonafrank, N.B., and Kelly, B.P. Behavioral and physiological reactions of arctic seals during under-ice pilotage, 2506
- Engren, E. see Marström, V., 658
- Eriksson, L.-O. see Rydevik, M., 942
- Estes, R.A. see Jackson, M.E., 2277
- Evans, D.O. see Post, J.R., 521
- Evans, H.E. see O'Neill, K.M., 2557
- Evans, W.S., McKenzie, C., Novak, M., and Howlader, H. The effects of various maintenance conditions on the survival of hymenolepidid cysticercoids, 259
- Fahay, M.P., and Able, K.W. White hake, *Urophycis tenuis*, in the Gulf of Maine: spawning seasonality, habitat use, and growth in young of the year and relationships to the Scotian Shelf population, 1715
- Fancy, S.G., Pank, L.F., Whitten, K.R., and Regelin, W.L.

- Seasonal movements of caribou in arctic Alaska as determined by satellite, 644
- Farrell, A.P., Small, S., and Graham, M.S. Effect of heart rate and hypoxia on the performance of a perfused trout heart, 274
- Fautin, D.G. see Larson, R.J., 1543
- Fay, F.H., and Stephenson, R.O. Annual, seasonal, and habitat-related variation in feeding habits of the arctic fox (*Alopex lagopus*) on St. Lawrence Island, Bering Sea, 1986
- Feldkamp, S.D., DeLong, R.L., and Antonelis, G.A. Diving patterns of California sea lions, *Zalophus californianus*, 872
- Fenton, M.B. Head size and the foraging behaviour of animal-eating bats, 2029
- Fenwick, J.C. see Komourdjian, M.P., 1505
- Ferguson, R.A. see Boutilier, R.G., 2986
- Ferron, J., and Ouellet, J.-P. Temporal and intersexual variations in the use of space with regard to social organization in the woodchuck (*Marmota monax*), 1642
- Ferron, J., and Ouellet, J.-P. Behavioural context and possible function of scent marking by cheek rubbing in the red squirrel (*Tamiasciurus hudsonicus*), 1650
- Fichet, É., and Pascal, M. Marquage collectif de rongeurs sauvages au moyen de fluoromarqueurs vitaux des tissus calcifiés, 847
- FitzGerald, G.J. see Poulin, R., 14
- FitzGerald, G.J. see Boulé, V., 1599
- FitzGerald, G.J. see Bolduc, F., 2013
- FitzGerald, G.J. see Poulin, R., 2078
- FitzGerald, G.J. see Whoriskey, F.G., 2126
- Fitzgerald, S.M. see Barta, R.M., 2762
- Fletcher, G.L. see Chan, K.M., 2520
- Flood, P.F. Introduction, 1089
- Flood, P.F. see Gray, D.R., 1134
- Flood, P.F., Stalker, M.J., and Rowell, J.E. The hair follicle density and seasonal shedding cycle of the muskox (*Ovibos moschatus*), 1143
- Flood, P.F. see Desaulniers, D.M., 1148
- Flood, P.F. see Desaulniers, D.M., 1155
- Ford, J.K.B. Acoustic behaviour of resident killer whales (*Orcinus orca*) off Vancouver Island, British Columbia, 727
- Forsberg, J.E. see Nagorsen, D.W., 1394
- Foster, G.D. see Moon, T.W., 2189
- Francis, C.M. Notes on fruit bats (Chiroptera, Pteropodidae) from Malaysia and Brunei, with the description of a new subspecies of *Megaerops wetmorei* Taylor, 1934, 2878
- Freeman, S. see Rohwer, F.C., 239
- Frost, B.J., Baldwin, P.J., and Csizy, M. Auditory localization in the northern saw-whet owl, *Aegolius acadicus*, 1955
- Frost, B.W. A taxonomy of the marine calanoid copepod genus *Pseudocalanus*, 525
- Frost, B.W. see McLaren, I.A., 565
- Fruetel, M. see Hoberg, E.P., 1489
- Fruetel, M., and Lankester, M.W. Gastrointestinal helminths of woodland and barren ground caribou (*Rangifer tarandus*) in Canada, with keys to species, 2253
- Fuller, G.A. see Plowright, R.C., 770
- Gach, M.H., and Reimchen, T.E. Mitochondrial DNA patterns among endemic stickleback from the Queen Charlotte Islands: a preliminary survey, 1324
- Gage, L.J. see Stevens, T.A., 2592
- Galloway, T.D. see Tomalak, M., 2497
- Gasaway, W.C., DuBois, S.D., Boertje, R.D., Reed, D.J., and Simpson, D.T. Response of radio-collared moose to a large burn in central Alaska, 325
- Gaskin, D.E. see Murison, L.D., 1411
- Gaskin, D.E. see Watts, P., 1832
- Gaskin, D.E. see Brown, R.G.B., 2725
- Gee, C. see Kent, K.S., 1573
- Geraci, J.R. see St. Aubin, D.J., 263
- Giannico, G.R., and Nagorsen, D.W. Geographic and sexual variation in the skull of Pacific coast marten (*Martes americana*), 1386
- Gibson, A.R., Smucny, D.A., and Kollar, J. The effects of feeding and ecdysis on temperature selection by young garter snakes in a simple thermal mosaic, 19
- Gibson, G.D., and Chia, F.-S. Description of a new species of *Haminoea*, *Haminoea callidegenita* (Mollusca: Opisthobranchia), with a comparison with two other *Haminoea* species found in the northeast Pacific, 914
- Gillingham, M.P., and Bunnell, F.L. Effects of learning on food selection and searching behaviour of deer, 24
- Gillingham, M.P., and Bunnell, F.L. Black-tailed deer feeding bouts: dynamic events, 1353
- Giroux, A. see Dutil, J.-D., 182
- Goddard, R.H. see Silverman, H., 198
- Goff, A.K. see Desaulniers, D.M., 1148
- Gooding, R.H. Involvement of the X chromosome in fertility of male and female hybrids of *Glossina morsitans morsitans* and *Glossina morsitans centralis* (Diptera: Glossinidae), 869
- Goss, G.G. see Playle, R.C., 314
- Goss-Custard, J.D. see Boates, J.S., 2225
- Govind, C.K. see Kent, K.S., 1573
- Graf, R., and Case, R. Counting muskoxen in the Northwest Territories, 1112
- Graham, M.B. see Ebsary, B.A., 801
- Graham, M.S. see Farrell, A.P., 274
- Gray, C.A., Gray, P.N., and Pence, D.B. Influence of social status on the helminth community of late-winter mallards, 1937
- Gray, D.R., Flood, P.F., and Rowell, J.E. The structure and function of muskox preorbital glands, 1134
- Gray, P.N. see Gray, C.A., 1937
- Graves, T.A., Jarecka, L., and Burt, M.D.B. On the life cycle of *Hymenolepis evaginata* Barker and Andrews, 1915 (Cestoda: Cyclophyllidae), a parasite of muskrats, *Ondatra zibethica* (L., 1766), 502
- Green, R.H. see Hinch, S.G., 855
- Green, R.H. see Hinch, S.G., 1895
- Greenberg, R. Neophobia, aversion to open space, and ecological plasticity in Song and Swamp sparrows, 1194
- Greenwood, R.J. see Johnson, D.H., 291
- Gregory, P.T. see Macartney, J.M., 108
- Groot, C., Bailey, R.E., Margolis, L., and Cooke, K. Migratory patterns of sockeye salmon (*Oncorhynchus nerka*) smolts in the Strait of Georgia, British Columbia, as determined by analysis of parasite assemblages, 1670
- Grossfield, J. see Wirgin, I.I., 891
- Guinan, D.M., and Sealy, S.G. Foraging-substrate use by house wrens nesting in natural cavities in a riparian habitat, 61
- Gunn, A., Miller, F.L., and McLean, B. Evidence for and possible causes of increased mortality of bull muskoxen during severe winters, 1106
- Gunn, A. see Jingfors, K., 1120
- Haas, G.E., Wilson, N., Osborne, T.O., Zarnke, R.L., Johnson, L., and Wolff, J.O. Mammal fleas (Siphonaptera) of Alaska and Yukon Territory, 394
- Hailey, A. How far do animals move? Routine movements in a tortoise, 208

- Hainsworth, F.R. Wing movements and positioning for aerodynamic benefit by Canada geese flying in formation, 585
- Haldar, C., and Pandey, R. Effect of pinealectomy on the testicular response of the freshwater snake *Natrix piscator* to different environmental factors, 2352
- Halvorsen, O., Skorping, A., and Bye, K. Experimental infection of reindeer with *Elaphostrongylus* (Nematoda; Protostrongylidae) originating from reindeer, red deer, and moose, 1200
- Hammill, M.O., and Smith, T.G. Factors affecting the distribution and abundance of ringed seal structures in Barrow Strait, Northwest Territories, 2212
- Hannon, S.J. see O'Reilly, P., 1263
- Hansen, G.L. see Saunders, M.B., 1824
- Harestad, A.S. see Andrusiak, L.A., 381
- Harestad, A.S., and Keisker, D.G. Nest tree use by primary cavity-nesting birds in south central British Columbia, 1067
- Harper, D.G., and Blake, R.W. On the error involved in high-speed film when used to evaluate maximum accelerations of fish, 1929
- Harrison, D.J. see Litvaitis, J.A., 1180
- Harvey, H.H. see Trippel, E.A., 2180
- Harvey, W.F. IV, Hepp, G.R., and Kennamer, R.A. Body mass dynamics of wood ducks during incubation: individual variation, 570
- Hasegawa, H. Redescription of *Cosmocercoides tridens* Wilkie, 1930 (Nematoda: Cosmocercidae), 1189
- Haspel, C., and Calhoon, R.E. Home ranges of free-ranging cats (*Felis catus*) in Brooklyn, New York, 178
- Hass, C.C. Bighorn lamb mortality: predation, inbreeding, and population effects, 669
- Hasson, O., Hibbard, R., and Ceballos, G. The pursuit deterrent function of tail-wagging in the zebra-tailed lizard (*Callisaurus draconoides*), 1203
- Hauta, P.L. see Lankester, M.W., 1966
- Hébert, C., Cloutier, C., Régnière, J., and Perry, D.F. Seasonal biology of *Winthemia fumiferanae* Toth. (Diptera: Tachinidae), a larval - pupal parasitoid of the spruce budworm (Lepidoptera: Tortricidae), 2384
- Hébert, P., and Barrette, C. Experimental demonstration that scent marking can predict dominance in the woodchuck, *Marmota monax*, 575
- Hebibi, N. see Laurent P., 3055
- Heisler, N. Interactions between gas exchange, metabolism, and ion transport in animals: an overview, 2923
- Hellgren, E.C., Vaughan, M.R., and Kirkpatrick, R.L. Seasonal patterns in physiology and nutrition of black bears in Great Dismal Swamp, Virginia - North Carolina, 1837
- Henry, C.S., and Johnson, J.B. Sexual singing in a non-chrysoperlan green lacewing, *Chrysopiella minima* Banks (Neuroptera: Chrysopidae), 1439
- Hepp, G.R. see Harvey, W.F., 570
- Heraty, J.M. Morphology of the mesosoma of *Kapala* (Hymenoptera: Eucharitidae) with emphasis on its phylogenetic implications, 115
- Herman, T.B. see Pulsifer, M.D., 789
- Herman, T.B. see Stewart, D.T., 2074
- Hew, C.L. see Chan, K.M., 2520
- Hewlett, K.G. see Stevens, T.A., 2592
- Hibbard, R. see Hasson, O., 1203
- Higgins, R.P., and Korczynski, R.E. Two new species of *Pycnophyes* (Homalorhagida, Kinorhyncha) from the Canadian coast of the Beaufort Sea, 2056
- Hinch, S.G., and Green, R.H. The effects of source and destination on growth and metal uptake in freshwater clams reciprocally transplanted among south central Ontario lakes, 855
- Hinch, S.G., Kelly, L.J., and Green, R.H. Morphological variation of *Elliptio complanata* (Bivalvia: Unionidae) in differing sediments of soft-water lakes exposed to acidic deposition, 1895
- Hirai, H. see Conn, J., 1217
- Hirsch, K.F. see Packard, M.J., 746
- Hobbs, N.T. see Dailey, T.V., 2368
- Hoberg, E.P., and Ryan, P.G. Ecology of helminth parasitism in *Puffinus gravis* (Procellariiformes) on the breeding grounds at Gough Island, 220
- Hoberg, E.P. see Johnson, M.R., 1471
- Hoberg, E.P., Fruetel, M., and Rickard, L.G. Synopse of *Nematodirus odocoilei* (Trichostrongyloidea) from deer and caribou in North America with comments on the evolution of *Nematodirus* spp. among the Cervidae (Artiodactyla), 1489
- Hoberg, E.P. see Johnson, M.R., 2917
- Hoff, K.V.S., Huq, N., King, V.A., and Wassersug, R.J. The kinematics of larval salamander swimming (Ambystomatidae: Caudata), 2756
- Hogans, W.E., and Trudeau, D.J. *Alembion crassus* Wilson, 1932 (Copepoda: Caligoida) from the sand tiger shark, *Eugomphodus taurus* (Rafinesque), in the upper Bay of Fundy, 774
- Hogans, W.E., and Trudeau, D.J. *Caligus elongatus* (Copepoda: Caligoida) from Atlantic salmon (*Salmo salar*) cultured in marine waters of the Lower Bay of Fundy, 1080
- Holekamp, K.E., and Nunes, S. Seasonal variation in body weight, fat, and behavior of California ground squirrels (*Spermophilus beecheyi*), 1425
- Holleman, D.F., and White, R.G. Determination of digesta fill and passage rate from nonabsorbed particulate phase markers using the single dosing method, 488
- Holleman, D.F. see White, R.G., 1125
- Holloway, H.L., Jr. see Leno, G.H., 2853
- Holm, E. Improved technique for fish specimen photography in the field, 2329
- Holopainen, I.J. see Tonn, W.M., 2841
- Holsinger, J.R. see Bousfield, E.L., 963
- Hornbach, D.J. see Way, C.M., 357
- Houseman, J.G., Philogène, B.J.R., and Downe, A.E.R. Partial characterization of proteinase activity in the larval midgut of the European corn borer, *Ostrinia nubilalis* Hübner (Lepidoptera: Pyralidae), 864
- Houtman, R. see Dill, L.M., 233
- Howlader, H. see Evans, W.S., 259
- Howland, H.C. see Ballard, K.A., 469
- Howland, H.C. see Nellis, D.W., 2814
- Hoysak, D.J. see Weatherhead, P.J., 463
- Hudson, R.J. see Renecker, L.A., 1923
- Hughes, G.W. see Peden, A.E., 2711
- Hughes, M.R. Extracellular fluid volume and the initiation of salt gland secretion in ducks and gulls, 194
- Hungle, D.J. see Schmutz, J.K., 2596
- Huntley, A.C. see Le Boeuf, B.J., 2514
- Huot, J. Body composition of the George River caribou (*Rangifer tarandus caribou*) in fall and late winter, 103
- Huq, N. see Hoff, K.V.S., 2756
- Hyatt, K.D., and Ringler, N.H. Egg cannibalism and the reproductive strategies of threespine sticklebacks (*Gasterosteus aculeatus*) in a coastal British Columbia lake, 2036
- Innes, D.G.L., and Bendell, J.F. The effects on small-mammal populations of aerial applications of *Bacillus thuringiensis*,

- fenitrothion, and Matacil® used against jack pine budworm in Ontario, 1318
- Iverson, S.L. see Vickery, W.L., 8
- Iwama, G.K., McGeer, J.C., and Pawluk, M.P. The effects of five fish anaesthetics on acid - base balance, hematocrit, blood gases, cortisol, and adrenaline in rainbow trout, 2065
- Iwama, G.K. see Cameron, J.N., 3078
- Jackson, D.A., and Somers, K.M. Are probability estimates from the permutation model of Mantel's test stable?, 766
- Jackson, M.E., Scott, D.E., and Estes, R.A. Determinants of nest success in the marbled salamander (*Ambystoma opacum*), 2277
- Janzen, F.J. see Paukstis, G.L. 1082
- Jarecka, L. see Greaves, T.A., 502
- Jelinski, D.E. Seasonal differences in habitat use and fat reserves in an arctic muskrat population, 305
- Jenks, J.A., and Leslie, D.M., Jr. Digesta retention of winter diets in white-tailed deer (*Odocoileus virginianus*) fawns in Maine, U.S.A., 1500
- Jensen, W.F., Seabloom, R.W., and McKenzie, J.V. Aberrant horn growth and masculine behavior in a female bighorn sheep from the North Dakota badlands, 1602
- Jenssen, B.M., Ekker, M., and Bech, C. Thermoregulation in winter-acclimatized common eiders (*Somateria mollissima*) in air and water, 669
- Jessome, V. see Packer, L., 2864
- Jessome, V. see Packer, L., 2871
- Jingfors, K., and Gunn, A. The use of snowmobiles in the drug immobilization of muskoxen, 1120
- Johnson, D.H., Sargeant, A.B., and Greenwood, R.J. Importance of individual species of predators on nesting success of ducks in the Canadian Prairie Pothole Region, 291
- Johnson, J.B. see Henry, C.S., 1439
- Johnson, L. see Haas, G.E., 394
- Johnson, L.S. see Eastman, M.D., 2358
- Johnson, M.L. Exploratory behavior and dispersal: a graphical model, 2325
- Johnson, M.R., and Hoberg, E.P. Differentiation of *Moniezia expansa* and *Moniezia benedeni* (Eucestoda: Cyclophyllidae) by isoelectric focusing, 1471
- Johnson, M.R., and Hoberg, E.P. Erratum: Differentiation of *Moniezia expansa* and *Moniezia benedeni* (Eucestoda: Cyclophyllidae) by isoelectric focusing, 2917
- Johnston, N.T., and Northcote, T.G. Life-history variation in *Neomysis mercedis* Holmes (Crustacea, Mysidacea) in the Fraser River estuary, British Columbia, 363
- Jorgenson, J.T. see Samson, J., 2493
- Joswiak, G.R., and New, J.G. Multivariate analysis of the hybrid *Phoxinus eos* × *Phoxinus neogaeus* (Pisces: Cyprinidae): reevaluation of univariate analysis, 1637
- Kabata, Z., and Whitaker, D.J. *Kudoa thyrsites* (Gilchrist, 1924) (Myxozoa) in the cardiac muscle of Pacific salmon (*Oncorhynchus* spp.) and steelhead trout (*Salmo gairdneri*), 341
- Kaiser, H. see Reiswig, H.M., 674
- Kaloyianni, M., and Lazaridou-Dimitriadou, M. Nitrogen excretion and the uricolytic enzymatic system in the nephridia and hepatopancreas of the snail *Xeropicta arenosa*, 2473
- Kapoor, N.N. Distribution and innervation of sensilla on the mouthparts of the carnivorous stonefly nymph, *Paragnetina media* (Walker) (Plecoptera: Perlidae), 831
- Karpan, C.M. see MacArthur, R.A., 1783
- Kastritsis, C.D. see Thomopoulos, G.N., 421
- Katona, S.K. see Mattila, D.K., 281
- Kavaliers, M. Polymorphism in opioid modulation of the thermal responses of the land snail *Cepaea nemoralis*, 2721
- Kehoe, F.P. The adaptive significance of crèching behaviour in the white-winged scoter (*Melanitta fusca deglandi*), 406
- Keisker, D.G. see Harestad, A.S., 1067
- Keith, L.B. see Marcström, V., 658
- Keith, L.B. see Barta, R.M., 2762
- Kelly, B.P. see Elsner, R., 2506
- Kelly, L.J. see Hinch, S.G., 1895
- Kenamer, R.A. see Harvey, W.F., 570
- Kennedy, P.K. see Lydeard, C., 2021
- Kent, K.S., Pearce, J., Gee, C., and Govind, C.K. Regenerative fidelity in the paired claw closer muscles of lobsters, 1573
- Kermott, L.H. see Eastman, M.D., 2358
- Kim, S.L., and Oliver, J.S. Swarming benthic crustaceans in the Bering and Chukchi seas and their relation to geographic patterns in gray whale feeding, 1531
- King, J.R. see Murphy, M.E., 1311
- King, V.A. see Hoff, K. vS., 2756
- King, W.A. see Desaulniers, D.M., 1155
- King, W.J. Spacing of female kin in Columbian ground squirrels (*Spermophilus columbianus*), 91
- Kingsolver, J.G., and Koehl, M.A.R. Selective factors in the evolution of insect wings: response to Kukalová-Peck, 785
- Kirkpatrick, R.L. see Hellgren, E.C., 1837
- Klassen, G.J., Beverley-Burton, M., and Locke, A. A revision of *Entobdella* Blainville (Monogenea: Capsalidae) with particular reference to *E. hippoglossi* and *E. squamula*: the use of ratios in taxonomy and key to species, 1869
- Klein, D.R., and Thing, H. Chemical elements in mineral licks and associated muskoxen feces in Jameson Land, northeast Greenland, 1092
- Koehl, M.A.R. see Kingsolver, J.G., 785
- Kollar, J. see Gibson, A.R., 19
- Komers, P.E. see Dhindsa, M.S., 228
- Komourdjian, M.P., Fenwick, J.C., and Saunders, R.L. Endocrine-mediated photostimulation of growth in Atlantic salmon, 1505
- Kooyman, G.L. see Eckert, S.A., 2834
- Korczynski, R.E. see Higgins, R.P., 2056
- Korn, H. A feeding experiment with 6-methoxybenzoxazolinone and a wild population of the deer mouse (*Peromyscus maniculatus*), 2220
- Krause, R.E. see MacArthur, R.A., 2194
- Kreeger, T.J., Monson, D., Kuechle, V.B., Seal, U.S., and Tester, J.R. Monitoring heart rate and body temperature in red foxes (*Vulpes vulpes*), 2455
- Krohmer, R.W., and Crews, D. Control of length of the courtship season in the red-sided garter snake, *Thamnophis sirtalis parietalis*: the role of temperature, 987
- Krohne, D.T. Demographic characteristics of *Peromyscus leucopus* inhabiting a natural dispersal sink, 2321
- Kroodsma, D.E., Bereson, R.C., Byers, B.E., and Minear, E. Use of song types by the Chestnut-sided Warbler: evidence for both intra- and inter-sexual functions, 447
- Kuechle, V.B. see Kreeger, T.J., 2455
- Kukal, O., and Duman, J.G. Switch in the overwintering strategy of two insect species and latitudinal differences in cold hardiness, 825
- Kunz, T.H. see Kurta, A., 2468
- Kuris, A.M. see Shields, J.D., 923
- Kurta, A., Bell, G.P., Nagy, K.A., and Kunz, T.H. Water balance of free-ranging little brown bats (*Myotis lucifugus*) dur-

- ing pregnancy and lactation, 2468
- Laberge, E. see McLaren, I.A., 552
- Laberge, R.J.A., and McLaughlin, J.D. *Hyaella azteca* (Amphipoda) as an intermediate host of the nematode *Strep-tocara crassicauda*, 2335
- Lagerquist, B.A., and Ankney, C.D. Interspecific differences in bill and tongue morphology among diving ducks (*Aythya* spp., *Oxyura jamaicensis*), 2694
- Lamb, J.P. see Churcher, C.S., 1210
- Lambert, G. A new species of the compound ascidian *Eudistoma* (Ascidacea, Polycitoridae) from the northeastern Pacific, 2700
- Langbauer, W.R. Jr., Payne, K.B., Charif, R.A., and Thomas, E.M. Responses of captive African elephants to playback of low-frequency calls, 2604
- Lankester, M.W., and Hauta, P.L. *Parelaphostromylus andersoni* (Nematoda: Protostrongylidae) in caribou (*Rangifer tarandus*) of northern and central Canada, 1966
- Lankester, M.W. see Fruetel, M., 2253
- Lannoo, M.J., Lowcock, L., and Bogart, J.P. Sibling cannibalism in noncannibal morph *Ambystoma tigrinum* larvae and its correlation with high growth rates and early metamorphosis, 1911
- Lanthier, C. see Mortola, J.P., 483
- Larsen, J.H., Jr. see Miller, B.T., 2414
- Larsen, K.W. see Macartney, J.M., 108
- Larson, D.J. see Wiggins, G.B., 1550
- Larson, R.J., and Fautin, D.G. Stauromedusae of the genus *Manania* (= *Thaumatoscyphus*) (Cnidaria, Scyphozoa) in the northeast Pacific, including descriptions of new species *Manania gwilliami* and *Manania handi*, 1543
- Lasee, B.A. Seasonal population dynamics and maturation of *Neoechinorhynchus pungitius* (Acanthocephala: Neoechinorhynchidae) infecting brook stickleback, *Culaea inconstans*, from Sioux Creek, Wisconsin, U.S.A., 590
- Laufer, H. see Vafopoulou, X., 2528
- Laurent, P., and Hebibi, N. Gill morphometry and fish osmoregulation, 3055
- Lavigne, D.M. see Stewart, R.E.A., 2147
- Lazaridou-Dimitriadou, M. see Kaloyianni, M., 2473
- Leatherland, J.F. see Vijayan, M.M., 2746
- Lebeau, B., and Pageau, G. Comparative urogenital morphology and external sex determination in muskellunge, *Exos masquinongy* Mitchell, 1053
- Le Boeuf, B.J., Naito, Y., Huntley, A.C., and Asaga, T. Prolonged, continuous, deep diving by northern elephant seals, 2514
- Lechleitner, R.A., Audsley, N., and Phillips, J.E. Antidiuretic action of cyclic AMP, corpus cardiacum, and ventral ganglia on fluid absorption across locust ileum in vitro, 2655
- Lechleitner, R.A., Audsley, N., and Phillips, J.E. Composition of fluid transported by locust ileum: influence of natural stimulants and luminal ion ratios, 2662
- Lechleitner, R.A., and Phillips, J.E. Effect of corpus cardiacum, ventral ganglia, and proline on absorbate composition and fluid transport by locust hindgut, 2669
- Le Hénaff, D., and Crête, M. Introduction of muskoxen in northern Quebec: the demographic explosion of a colonizing herbivore, 1102
- Leno, G.H., and Holloway, H.L., Jr. The occurrence of *Diplostomum spathaceum* metacercariae in the freshwater drum, *Aplodinotus grunniens*, 2853
- Leslie, D.M., Jr. see Jenks, J.A., 1500
- Lewengrub, S., Rudzinska, M.A., Piesman, J., Spielman, A., and Zung, J. The influence of heat on the development of *Babesia microti* in unfed nymphs of *Ixodes dammini*, 1510
- Lewengrub, S. see Zung, J.L., 1737
- Licht, L.E., and Bogart, J.P. Growth and sexual maturation in diploid and polyploid salamanders (genus *Ambystoma*), 812
- Lichtenfels, J.R. see Rickard, L.G., 1708
- Light, J.T. see Quinn, T.P., 2850
- Lindquist, E.E., Walter, D.E. *Antennoseius (Vitzthumia) janus* n.sp. (Acari: Ascidae), a mesostigmatic mite exhibiting adult female dimorphism, 1291
- Lindquist, E.E. see Walter, D.E., 2797
- Linton, L.R., Edgington, E.S., and Davies, R.W. A view of niche overlap amenable to statistical analysis, 55
- Linzey, A.V. Response of the white-footed mouse (*Peromyscus leucopus*) to the transition between disturbed and undisturbed habitats, 505
- Litvaitis, J.A., and Harrison, D.J. Bobcat - coyote niche relationships during a period of coyote population increase, 1180
- Ljungblad, D.K. see Clarke, J.T., 2646
- Locke, A. see Klassen, G.J., 1869
- Lockerbie, C. see Packer, L., 2864
- Lockerbie, C. see Packer, L., 2871
- Loeb, S.C., and Schwab, R.G. An evaluation of three methods for determining diet quality of free-ranging small herbivorous mammals, 96
- Lom, J., Desser, S.S., and Dyková, I. Some little-known and new protozoan parasites of fish from Lake Sasajewun, Algonquin Park, Ontario, 1372
- Lom, J. see Poynton, S.L., 1793
- Lowcock, L. see Lannoo, M.J., 1911
- Lowcock, L.A., and Bogart, J.P. Electrophoretic evidence for multiple origins of triploid forms in the *Ambystoma laterale* - *jeffersonianum* complex, 350
- Lowcock, L.A. see Zeyl, C.W., 2376
- Lund, W.A., Jr. see Walsh, W.A., 1613
- Lund, W.A., Jr. see Walsh, W.A., 2857
- Lundqvist, H. see Rydevik, M., 942
- Lundqvist, H., Borg, B., and Berglund, I. Androgens impair seawater adaptability in smolting Baltic salmon (*Salmo salar*), 1733
- Lutz, P.L. Interaction between hypometabolism and acid-base balance, 3018
- Lydeard, C., Mulvey, M., Aho, J.M., and Kennedy, P.K. Genetic variability among natural populations of the liver fluke *Fascioloides magna* in white-tailed deer, *Odocoileus virginianus*, 2021
- Lyons, J. Changes in the abundance of small littoral-zone fishes in Lake Mendota, Wisconsin, 2910
- MacArthur, R.A. Energy metabolism and thermoregulation of beaver (*Castor canadensis*), 651
- MacArthur, R.A. see Sutter, G.C., 1339
- MacArthur, R.A., and Karpan, C.M. Heart rates of muskrats diving under simulated field conditions: persistence of the bradycardia response and factors modifying its expression, 1783
- MacArthur, R.A., and Krause, R.E. Energy requirements of freely diving muskrats (*Ondatra zibethicus*), 2194
- Macartney, J.M., Larsen, K.W., and Gregory, P.T. Body temperatures and movements of hibernating snakes (*Crotalus* and *Thamnophis*) and thermal gradients of natural hibernacula, 108
- Macdonald, C.A., and Brooks, D.R. Redescription of *Pseudotolorchis compactus* (Cable and Sanborn, 1970) Yamaguti, 1971 (Cercaria: Trematoda: Digenea: Plagiorchiiformes) with discussion of its phylogenetic affinities, 1421

- Macdonald, C.A., and Brooks, D.R.** Revision and phylogenetic analysis of the North American species of *Telorchis* Luehe, 1899 (Cercaria: Trematoda: Digenea: Telorchidae), 2301
- Macdonald, C.A.** see Brooks, D.R., 2609
- Machado, J.** see Castilho, F., 1659
- MacInnes, C.D., Misra, R.K., and Prevett, J.P.** Differences in growth parameters of Ross' Geese and Snow Geese: evidence from hybrids, 286
- Mackey, R.L., and Barclay, R.M.R.** The influence of physical clutter and noise on the activity of bats over water, 1167
- Magnuson, J.J.** see Chulakasem, W., 2158
- Malecha, J., Verger-Bocquet, M., Tramu, G.** Mise en évidence et évolution, au cours du cycle biologique, de neurones producteurs d'une substance apparentée à la motiline porcine dans le ganglion supraoesophagien de la sangsue *Theromyzon tessulatum*, 636
- Mallory, F.F.** see Rathmann, N.P., 1363
- Malone, K.M.B.** see Woods, R.A., 2422
- Manicardi, G.C.** Two new species of soil moss eutardigrades (Tardigrada) from Canada, 2282
- Manzanilla, S.R.** The 1982-1983 El Niño event recorded in dental growth layers in teeth of Peruvian dusky dolphins (*Lagenorhynchus obscurus*), 2120
- Marcström, V., Keith, L.B., Engren, E., and Cary, J.R.** Experimental responses of arctic hares (*Lepus timidus*) to experimental reductions of red foxes (*Vulpes vulpes*) and martens (*Martes martes*), 658
- Margolis, L.** see Groot, C., 1670
- Margolis, L.** see Bailey, R.E., 1757
- Marinelli, L., and Millar, J.S.** The ecology of beach-dwelling *Peromyscus maniculatus* on the Pacific Coast, 412
- Martin, R.J., and Downer, R.G.H.** N-acetylation of *p*-octopamine by Malpighian tubules and other tissues of the American cockroach, *Periplaneta americana* L., *in vitro*, 1495
- Mattila, D.K., Clapham, P.J., Katona, S.K., and Stone, G.S.** Population composition of humpback whales, *Megaptera novaeangliae*, on Silver Bank, 1984, 281
- Mattila, D.K., and Clapham, P.J.** Humpback whales, *Megaptera novaeangliae*, and other cetaceans on Virgin Bank and in the northern Leeward Islands, 1985 and 1986, 2201
- Mazza, J.** see Cuoc, C., 2569
- Mazza, J.** see Cuoc, C., 2579
- McAllister, C.T., and Upton, S.J.** The Coccidia (Apicomplexa: Eimeriidae) of Testudines, with descriptions of three new species, 2459
- McAlpine, D.F., and Dilworth, T.G.** Microhabitat and prey size among three species of *Rana* (Anura: Ranidae) sympatric in eastern Canada, 2244
- McAuley, D.G.** see Derleth, E.L., 385
- McDaniel, L.L.** see Packard, G.C., 828
- McDaniel, P.L.** see Packard, G.C., 828
- McDonald, D.G., Tang, Y., and Boutillier, R.G.** Acid and ion transfer across the gills of fish: mechanisms and regulation, 3046
- McDonald, H.G., and Davis, R.A.** Fossil muskoxen of Ohio, 1159
- McFarland, W.N.** see Nellis, D.W., 2814
- McGeer, J.C.** see Iwama, G.K., 2065
- McGillivray, W.B.** see Burns, J.A., 2633
- McKenzie, C.** see Evans, W.S., 259
- McKenzie, J.V.** see Jensen, W.F., 1602
- McKeown, B.A.** see Bates, D.J., 1246
- McLagan, R.L.** see Piatt, J.F., 1523
- McLaren, I.A., Laberge, E., Corkett, C.J., and Sévigny, J.-M.** Life cycles of four species of *Pseudocalanus* in Nova Scotia, 552
- McLaren, I.A., Sévigny, J.-M., and Corkett, C.J.** Temperature-dependent development in *Pseudocalanus* species, 559
- McLaren, I.A., Sévigny, J.-M., and Frost, B.W.** Evolutionary and ecological significance of genome sizes in the copepod genus *Pseudocalanus*, 565
- McLaughlin, J.D.** *Echinocotyle capensis* n.sp. (Cestoda: Hymenolepididae) from South African waterfowl, 1749
- McLaughlin, J.D.** see Laberge, R.J.A., 2335
- McLay, H.A.** see Youngson, A.F., 1851
- McLean, B.** see Gunn, A., 1106
- McLellan, B.N.** Dynamics of a grizzly bear population during a period of industrial resource extraction. I. Density and age - sex composition, 1856
- McLellan, B.N.** Dynamics of a grizzly bear population during a period of industrial resource extraction. II. Mortality rates and causes of death, 1861
- McLellan, B.N.** Dynamics of a grizzly bear population during a period of industrial resource extraction. III. Natality and rate of increase, 1865
- McLennan, D.A., and McPhail, J.D.** Experimental investigations of the evolutionary significance of sexually dimorphic nuptial colouration in *Gasterosteus aculeatus* (L.): temporal changes in the structure of the male mosaic signal, 1767
- McLennan, D.A., and McPhail, J.D.** Experimental investigations of the evolutionary significance of sexually dimorphic nuptial colouration in *Gasterosteus aculeatus* (L.): the relationship between male colour and male behaviour, 1778
- McMahon, R.F.** see Williams, C.J., 82
- McNeil, J.N.** see Cusson, M., 1380
- McNeil, R.** see Dulude, A.-M., 1249
- McNeill, M.A.** see Messier, F., 216
- McPhail, J.D.** see McLennan, D.A., 1767
- McPhail, J.D.** see McLennan, D.A., 1778
- McPhee, M.J., and Wilkens, J.L.** Serotonin, but not dopamine or octopamine, modifies locomotor and phototactic behavior of the crab, *Carcinus maenas*, 391
- Menkens, G.E., Jr., and Anderson, S.H.** Temporal - spatial variation in white-tailed prairie dog demography and life histories in Wyoming, 343
- Mercer, V.** see Piatt, J.F., 1523
- Messier, F., Rau, M.E., and McNeill, M.A.** *Echinococcus granulosus* (Cestoda: Taeniidae) infections and moose - wolf population dynamics in southwestern Quebec, 216
- Methven, D.A.** see Piatt, J.F., 1523
- Mettrick, D.F.** see Thompson, C.S., 1257
- Meunier, M.** see Caillol, M., 1626
- Michaud, M.** see Dutil, J.-D., 182
- Michener, G.R.** Sexual differences in interyear survival and life-span of Richardson's ground squirrels, 1827
- Mihok, S.** see Vickery, W.L., 8
- Millar, J.S.** see Marinelli, L., 412
- Millar, J.S.** see Xia, X., 1047
- Miller, B.T.** see Murphy, M.E., 1311
- Miller, B.T., and Larsen, J.H., Jr.** Feeding performance in aquatic postmetamorphic newts (Urodela: Salamandridae): Are bidirectional flow systems necessarily inefficient?, 2414
- Miller, F.L.** see Gunn, A., 1106
- Miller, G.L.** Subsocial organization and behavior in broods of the obligate burrowing wolf spider *Geolycosa turricola* (Treat), 819
- Miller, G.W.** see Stewart, R.E.A., 2147
- Miller, N.L.** see Buech, R.R., 1061

- Milligan, C.L. see Walsh, P.J., 2994
- Milsom, W.K. Mechanisms of ventilation in lower vertebrates: adaptations to respiratory and nonrespiratory constraints, 2943
- Minear, E. see Kroodsma, D.E., 447
- Misra, R.K. see MacInnes, C.D., 286
- Mitchell, L.G. Myxoboloid parasites (Myxozoa: Myxobolidae) infecting fishes of western Montana, with notes on histopathology, seasonality, and intraspecific variation, 1915
- Mondain-Monval, M. see Bonnin, M., 759
- Mondain-Monval, M. see Caillol, M., 1626
- Monson, D. see Kreeger, T.J., 2455
- Moon, T.W. see Spear, P.A., 908
- Moon, T.W., Foster, G.D., and Plisetzkaya, E.M. Changes in peptide hormones and liver enzymes in the rainbow trout deprived of food for 6 weeks, 2189
- Moore, S.E. see Clarke, J.T., 2646
- Morgan, A.V. Late Pleistocene zoogeographic shifts and new collecting records for *Helophorus arcticus* Brown (Coleoptera: Hydrophilidae) in North America, 1171
- Morris, S. see Bridges, C.R., 2971
- Morrison, K.F. see Nagorsen, D.W., 1394
- Morrison, M.L., and Anthony, R.G. Habitat use by small mammals on early-growth clear-cuttings in western Oregon, 805
- Mortola, J.P., and Lanthier, C. Normoxic and hypoxic breathing pattern in newborn grey seals, 483
- Mrosovsky, N., and Provancha, J. Sex ratio of loggerhead sea turtles hatching on a Florida beach, 2533
- Mukai, S.T., and Saleuddin, A.S.M. Mating increases the synthetic activity of the neurosecretory caudodorsal cells of *Helisoma duryi* (Mollusca: Pulmonata), 2363
- Mulvey, M. see Lydeard, C., 2021
- Murison, L.D., and Gaskin, D.E. The distribution of right whales and zooplankton in the Bay of Fundy, Canada, 1411
- Murphy, D.D. see Brussard, P.F., 330
- Murphy, M.E., Miller, B.T., and King, J.R. A structural comparison of fault bars with feather defects known to be nutritionally induced, 1311
- Murray, C.B., and Beacham, T.D. Responses of meristic characters in chum salmon (*Oncorhynchus keta*) to temperature changes during development, 596
- Murray, C.B. see Beacham, T.D., 2081
- Muzzall, P.M. Endohelminths of salmonids from two localities in eastern Lake Michigan, with emphasis on *Echinorhynchus salmonis*, 1604
- Nagorsen, D.W. see Giannico, G.R., 1386
- Nagorsen, D.W., Morrison, K.F., and Forsberg, J.E. Winter diet of Vancouver Island marten (*Martes americana*), 1394
- Nagy, K.A. see Kurta, A., 2468
- Naito, Y. see Le Boeuf, B.J., 2514
- Nams, V.O. A technique to determine the behavior of a radio-tagged animal, 254
- Nams, V.O. Effects of radiotelemetry error on sample size and bias when testing for habitat selection, 1631
- Naylor, B.J., and Bendell, J.F. Clutch size and egg size of spruce grouse in relation to spring diet, food supply, and endogenous reserves, 969
- Nellis, D.W., Sivak, J.G., McFarland, W.N., and Howland, H.C. Characteristics of the eye of the Indian mongoose (*Herpestes auropunctatus*), 2814
- Nelson, J.A. see Chulakasem, W., 2158
- Nelson, J.S. see Das, M.K., 579
- Neophytou, E.P. see Thomopoulos, G.N., 421
- New, J.G. see Joswiak, G.R., 1637
- Nikinmaa, M., and Tufts, B.L. Regulation of acid and ion transfer across the membrane of nucleated erythrocytes, 3039
- Nimrich, M. see Sudhaus, W., 1347
- Nol, E. see Taylor, G.M., 1877
- Nombrado, S. see Novak, M., 226
- Northcote, T.G. see Johnston, N.T., 363
- Novak, M., and Nombrado, S. An improved method for staining mouse mast cells, 226
- Novak, M. see Evans, W.S., 259
- Novak, M., Taylor, W.R., and Pip, E. Interspecific variation of isoenzyme patterns in four *Hymenolepis* species (Cestoda), 2052
- Nudds, T.D. see Beattie, L.A., 475
- Nunes, S. see Holekamp, K.E., 1425
- O'Donnell, S. see Thompson, I.D., 1816
- O'Grady, R.T. see Brooks, D.R., 2609
- Olesen, C.R., and Thing, H. Guide to field classification by sex and age of the muskox, 1116
- Oliver, J.S. see Kim, S.L., 1531
- Olzanowski, Z. see Athias-Binche, F., 1482
- O'Neill, K.M., Evans, H.E., and O'Neill, R.P. Phenotypic correlates of mating success in the sand wasp *Bembecinus quinquespinosus* (Hymenoptera: Sphecidae), 2557
- O'Neill, R.P. see O'Neill, K.M., 2557
- O'Reilly, P., and Hannon, S.J. Predation of simulated willow ptarmigan nests: the influence of density and cover on spatial and temporal patterns of predation, 1263
- Ortiz, C.L. see Pernia, S.D., 1752
- Osborne, T.O. see Haas, G.E., 394
- Ouellet, J.-P. see Ferron, J., 1642
- Ouellet, J.-P. see Ferron, J., 1650
- Packard, G.C., Packard, M.J., McDaniel, P.L., and McDaniel, L.L. Tolerance of hatchling painted turtles to subzero temperatures, 828
- Packard, M.J., and Hirsch, K.F. Structure of shells from eggs of the geckos *Gekko gekko* and *Phelsuma madagascarensis*, 746
- Packard, M.J. see Packard, G.C., 828
- Packer, L., Sampson, B., Lockerbie, C., and Jessome, V. Nest architecture and brood mortality in four species of sweat bee (Hymenoptera: Helictidae) from Cape Breton Island, 2864
- Packer, L., Jessome, V., Lockerbie, C., and Sampson, B. The phenology and social biology of four sweat bees in a marginal environment: Cape Breton Island, 2871
- Pageau, G. see Lebeau, B., 1053
- Paim, U. see Peterson, R.H., 1566
- Paloheimo, J.E. see Plowright, R.C., 770
- Pandey, R. see Haldar, C., 2352
- Panesar, T.S. The moulting pattern in *Trichuris muris* (Nematoda: Trichuroidea), 2340
- Pank, L.F. see Fancy, S.G., 644
- Papastavrou, V., Smith, S.C., and Whitehead, H. Diving behaviour of the sperm whale, *Physeter macrocephalus*, off the Galapagos Islands, 839
- Parmalee, P.W. see Churcher, C.S., 1210
- Pascal, M. see Fichet, É., 847
- Paszkowski, C.A. see Tonn, W.M., 2841
- Pasztor, V.M. see Beilin, S.A., 73
- Pattenden, R.K., and Boag, D.A. Effects of body mass on courtship, pairing, and reproduction in captive mallards, 495
- Pattenden, R.K., and Boag, D.A. Skewed sex ratio in a northern wintering population of mallards, 1084
- Paukstis, G.L., Shuman, R.D., and Janzen, F.J. Supercooling and freeze tolerance in hatchling painted turtles (*Chrysemys*

- picta*), 1082
- Pawluk, M.P.** see Iwama, G.K., 2065
- Payne, K.B.** see Langbauer, W.R., Jr., 2604
- Peakall, D.B.** see Spear, P.A., 908
- Pearce, J.** see Kent, K.S., 1573
- Peden, A.E., Hughes, G.W., and Roberts, W.E.** Morphologically distinct populations of the shorthead sculpin, *Cottus confusus*, and mottled sculpin, *Cottus bairdi* (Pisces, Cottidae), near the western border of Canada and the United States, 2711
- Pierce, M.A.** see Bennett, G.F., 1557
- Pierce, M.A.** see Bennett, G.F., 2859
- Pence, D.B.** see Gray, C.A., 1937
- Périsse, M., Sørensen, C.R., da Fonseca, D., and Cerqueira, R.** Diet determination for small laboratory-housed wild mammals, 775
- Pernia, S.D., Costa, D.P., and Ortiz, C.L.** Glomerular filtration rate in weaned elephant seal pups during natural, long term fasts, 1752
- Perry, D.F.** see Hébert, C., 2384
- Perry, S.F., and Wood, C.M.** Control and coordination of gas transfer in fishes, 2961
- Peterson, R.H., Coombs, K., Power, J., and Paim, U.** Responses of several fish species to pH gradients, 1566
- Phillips, J.E.** see Lechleitner, R.A., 2655
- Phillips, J.E.** see Lechleitner, R.A., 2662
- Phillips, J.E.** see Lechleitner, R.A., 2669
- Philogène, B.J.R.** see Houseman, J.G., 864
- Piatt, J.F., Methven, D.A., Burger, A.E., McLagan, R.L., Mercer, V., and Creelman, E.** Baleen whales and their prey in a coastal environment, 1523
- Pieau, C.** see Servan, J., 1279
- Piesman, J.** see Lewengrub, S., 1510
- Piesman, J.** see Zung, J.L., 1737
- Piiper, J.** Factors affecting gas transfer in respiratory organs of vertebrates, 2956
- Pip, E.** see Novak, M., 2052
- Pistole, D.H.** Sexual differences in the annual lipid cycle of the big brown bat *Eptesicus fuscus*, 1891
- Plante, Y., Boag, P.T., and White, B.N.** Macrogeographic variation in mitochondrial DNA of meadow voles (*Microtus pennsylvanicus*), 158
- Playle, R.C., Goss, G.G., and Wood, C.M.** Physiological disturbances in rainbow trout (*Salmo gairdneri*) during acid and aluminum exposures in soft water of two calcium concentrations, 314
- Plisetskaya, E.M.** see Moon, T.W., 2189
- Plowright, R.C., Fuller, G.A., and Paloheimo, J.E.** Shell dropping by Northwestern Crows: a reexamination of an optimal foraging study, 770
- Pohle, G.** Structure, function, and development of setae on gill-grooming appendages and associated mouthparts of pinnotherid crabs (Decapoda: Brachyura), 1690
- Politis, M.A.** see Spivak, E.D., 1976
- Ponganis, P.** see Eckert, S.A., 2834
- Pörtner, H.-O.** The importance of metabolism in acid-base regulation and acid-base methodology, 3005
- Post, J.R., and Evans, D.O.** Experimental evidence of size-dependent predation mortality in juvenile yellow perch, 521
- Poulin, R., and FitzGerald, G.J.** Risk of parasitism and microhabitat selection in juvenile sticklebacks, 14
- Poulin, R., and FitzGerald, G.J.** Male-biased sex ratio in *Argulus canadensis* Wilson, 1916 (Crustacea: Branchiura) ectoparasitic on sticklebacks, 2078
- Power, J.** see Peterson, R.H., 1566
- Poynton, S.L., and Lom, J.** Some ectoparasitic trichodinids from Atlantic cod, *Gadus morhua* L., with a description of *Trichodina cooperi* n.s.p., 1793
- Prevett, J.P.** see MacInnes, C.D., 286
- Pritchard, G.** see Conrad, K.F., 298
- Procunier, W.S.** see Conn, J., 1217
- Proenca, R.** see Wirgin, I.I., 891
- Proulx, G., Cook, S.R., and Barrett, M.W.** Assessment and preliminary development of the rotating-jaw Conibear 120 trap to effectively kill marten (*Martes americana*), 1074
- Provancha, J.** see Mrosovsky, N., 2533
- Pulsifer, M.D., and Herman, T.B.** Comparative arboreal behaviors of wild-caught and captive-born deer mice, *Peromyscus maniculatus* Wagner, from Isle Haute and mainland Nova Scotia, 789
- Qian, P.-Y., and Chia, F.-S.** Sexual reproduction and larval development of *Rhaphidrilus nemasoma* Monticelli, 1910 (Polychaeta: Ctenodrilidae), 2345
- Quinn, T.P., and Light, J.T.** Occurrence of threespine sticklebacks (*Gasterosteus aculeatus*) in the open North Pacific Ocean: migration or drift?, 2850
- Radermaker, F., Surlemont, C., Sanna, P., Chardon, M., and Vandewalle, P.** Ontogeny of the Weberian apparatus of *Clarias gariepinus* (Pisces, Siluriformes), 2090
- Randall, D.J.** see Tufts, B.L., 235
- Randall, D.J., and Wright, P.A.** The interaction between carbon dioxide and ammonia excretion and water pH in fish, 2936
- Rani, L.** see Srivastav, A.K., 1335
- Rathmann, N.P., and Mallory, F.F.** Normal and blocked pregnancy in the collared lemming: morphometrical and histological changes, 1363
- Rau, M.E.** see Messier, F., 216
- Rausch, R.L.** see Adams, A.M., 1268
- Read, A.J.** see Recchia, C.A., 2140
- Recchia, C.A., and Read, A.J.** Stomach contents of harbour porpoises, *Phocoena phocoena* (L.), from the Bay of Fundy, 2140
- Reed, D.J.** see Gasaway, W.C., 325
- Regelin, W.L.** see Fancy, S.G., 644
- Régnière, J.** see Hébert, C., 2384
- Reimchen, T.E.** see Gach, M.H., 1324
- Reis, M.L.** see Castilho, F., 1659
- Reiswig, H.M., and Kaiser, H.** Description of *Mycale bamfieldense* n.sp. (Porifera, Demospongiae, Poecilosclerida) from Vancouver Island, British Columbia, 674
- Renecker, L.A., and Hudson, R.J.** Ecological metabolism of moose in aspen-dominated boreal forests, central Alberta, 1923
- Reynolds, P.E.** An experimental satellite collar for muskoxen, 1122
- Ricard, A.C.** see Trotter, B.L., 1332
- Richard, P.E.** see Silverman, H., 198
- Richardson, W.J.** see Dorsey, E.M., 1801
- Rickard, L.G.** see Hoberg, E.P., 1489
- Rickard, L.G., and Lichtenfels, J.R.** *Nematodirus archari* (Nematoda: Trichostrongyloidea) from ruminants in North America with a description of the synlophe and the female, 1708
- Rickards, J.C., and Shorthouse, J.D.** Overwintering strategy of the stem-gall inducer *Diplolepis spinosa* (Hymenoptera: Cynipidae) in central Ontario, 2232
- Ringler, N.H.** see Hyatt, K.D., 2036
- Roberts, W.E.** see Peden, A.E., 2711
- Robertson, R.J.** see Studd, M.V., 268

- Robineau, D. see de Buffrénil, V., 516
- Robinson, C.L.K. Laboratory survival of four prey in the presence of northern pike, 418
- Rohwer, F.C., and Freeman, S. The distribution of conspecific nest parasitism in birds, 239
- Rosenberg, H.I., Bauer, A.M., and Russell, A.P. External morphology of the developing hemipenes of the dwarf chameleon, *Bradypodion pumilum* (Reptilia: Chamaeleonidae), 884
- Rosenberg, R.H. Genetic differentiation among populations of Weidemeyer's admiral butterfly, 2294
- Rothfels, K.H. see Conn, J., 1217
- Rowell, J.E. see Gray, D.R., 1134
- Rowell, J.E. see Flood, P.F., 1143
- Rowell, J.E. see Desautniers, D.M., 1148
- Rowell, J.E. see Desautniers, D.M., 1155
- Rubec, P.J. see Trottier, B.L., 1332
- Rudzinska, M.A. see Lewengrub, S., 1510
- Rudzinska, M.A. see Zung, J.L., 1737
- Rugg, D.J. see Buech, R.R., 1061
- Russell, A.P. see Bauer, A.M., 678
- Russell, A.P. see Rosenberg, H.I., 884
- Ryan, P.G. see Hoberg, E.P., 220
- Rydevik, M., Bergström, E., Lundqvist, H., and Eriksson, L.-O. Seasonal changes in thyroid hormones and osmoregulation in mature male parr and 1- and 2-year-old immature parr of Baltic salmon (*Salmo salar* L.), 942
- Sá, C. see Castilho, F., 1659
- Sáiz, F. see Yates, L.R., 721
- Saleuddin, A.S.M. see Mukai, S.T., 2363
- Sampson, B. see Packer, L., 2864
- Sampson, B. see Packer, L., 2871
- Samson, J., Jorgenson, J.T., and Wishart, W.D. Glutathione peroxidase activity and selenium levels in Rocky Mountain bighorn sheep and mountain goats, 2493
- Sandegren, F. see Cederlund, G., 1516
- Sanna, P. see Radermaker, F., 2090
- Sargeant, A.B. see Johnson, D.H., 291
- Sarnat, H.B. see Singhal, R.N., 2704
- Saunders, M.B., and Hansen, G.L. A method for estimating the ages of nestling Northern Harriers (*Circus cyaneus*), 1824
- Saunders, R.L. see Komourdjian, M.P., 1505
- Schmutz, J.K., and Hungle, D.J. Populations of ferruginous and Swainson's hawks increase in synchrony with ground squirrels, 2596
- Schoevaert, D. see de Buffrénil, V., 2107
- Scholler, R. see Bonnin, M., 759
- Schwab, R.G. see Loeb, S.C., 96
- Schwartz, B. see Vickery, W.L., 8
- Scott, D.E. see Jackson, M.E., 2277
- Scott, J.S., and Bray, S.A. Helminth parasites of the alimentary tract of Atlantic halibut (*Hippoglossus hippoglossus* L.) and Greenland halibut (*Reinhardtius hippoglossoides* (Walbaum)) on the Scotian Shelf, 1476
- Seabloom, R.W. see Jensen, W.F., 1602
- Seal, U.S. see Kreeger, T.J., 2455
- Sealy, S.G. see Guinan, D.M., 61
- Servan, J., Zaborski, P., Dorizzi, M., and Pieau, C. Female-biased sex ratio in adults of the turtle *Emys orbicularis* at the northern limit of its distribution in France: a probable consequence of interaction of temperature with genotypic sex determination, 1279
- Sévigny, J.-M. see McLaren, I.A., 552
- Sévigny, J.-M. see McLaren, I.A., 559
- Sévigny, J.-M. see McLaren, I.A., 565
- Shaw, P. New amphipods from geothermal vent sites off the west coast of Vancouver Island, British Columbia, with a reappraisal of the amphipod family Sebiidae, 1882
- Shields, J.D., Wickham, D.E., and Kuris, A.M. *Carcinonemertes regicides* n.sp. (Nemertea), a symbiotic egg predator from the red king crab, *Paralithodes camtschatica* (Decapoda: Anomura), in Alaska, 923
- Shilton, C.M., and Brooks, R.J. Paternal care in captive collared lemmings (*Dicrostonyx richardsoni*) and its effect on development of the offspring, 2740
- Shorthouse, J.D. see Rickards, J.C., 2232
- Shostak, A.W., and Dick, T.A. Variability in timing of egg hatch of *Trianaophorus crassus* Forel (Cestoda: Pseudophyllidae) as a mechanism increasing temporal dispersion of coracidia, 1462
- Shuman, R.D. see Paukstis, G.L., 1082
- Shuttleworth, T.J. Overview of epithelial ion-transport mechanisms, 3032
- Sigurdson, W.J. see Woods, R.A., 2422
- Silverman, H., Richard, P.E., Goddard, R.H., and Dietz, T.H. Intracellular formation of calcium concretions by phagocytic cells in freshwater mussels, 198
- Simon, P. see Caillol, M., 1626
- Simpson, D.T. see Gasaway, W.C., 325
- Sinclair, B.J. The biology of *Euparyphus* Gerstaecker and *Caloparyphus* James occurring in madicolous habitats of eastern North America, with descriptions of adult and immature stages (Diptera: Stratiomyidae), 33
- Singhal, R.N., Davies, R.W., and Sarnat, H.B. Changes in RNA and oxidative enzymes in *Nephelopsis obscura* (Erpobdellidae) as indices of environmental stress, 2704
- Sivak, J.G. see Ballard, K.A., 469
- Sivak, J.G. see Nellis, D.W., 2814
- Skorping, A. see Halvorsen, O., 1200
- Small, S. see Farrell, A.P., 274
- Smatresk, N.J. see Burleson, M.L., 630
- Smith, B.P. Impact of parasitism by larval *Limnochares aquatica* (Acari: Hydrachnidia; Limnocharidae) on juvenile *Gerris comatus*, *Gerris alacris*, and *Gerris buenoi* (Insecta: Hemiptera; Gerridae), 2238
- Smith, D.A. Radula-tooth biometry in *Helisoma trivolvis* (Gastropoda, Pulmonata): interpopulation variation and the question of adaptive significance, 1960
- Smith, J.W. Ulcers associated with larval *Anisakis simplex* B (Nematoda: Ascaridoidea) in the foregut of harbour porpoises *Phocoena phocoena* (L.), 2270
- Smith, P.C. see Boates, J.S., 457
- Smith, S.C. see Papastavrou, V., 839
- Smith, T.E. The role of bulls in pioneering new habitats in an expanding muskox population on the Seward Peninsula, Alaska, 1096
- Smith, T.G. see Cleator, H.J., 1900
- Smith, T.G. see Hammill, M.O., 2212
- Smucny, D.A. see Gibson, A.R., 19
- Snyder, R.J., and Dingle, H. Adaptive, genetically based differences in life history between estuary and freshwater threespine sticklebacks (*Gasterosteus aculeatus* L.), 2448
- Somers, K.M. see Jackson, D.A., 766
- Sonafrank, N.B. see Elsner, R., 2506
- Sørensen, C.R. see Périsse, M., 775
- Southward, E.C., and Coates, K.A. Sperm masses and sperm transfer in a vestimentiferan, *Ridgeia piscesae* Jones, 1985

- (Pogonophora: Obturata), 2776
- Spear, P.A., Bourbonnais, D.H., Peakall, D.B., and Moon, T.W.** Dove reproduction and retinoid (vitamin A) dynamics in adult females and their eggs following exposure to 3,3',4,4'-tetrachlorobiphenyl, 908
- Spence, A.M.** see Woods, R.A., 2422
- Spence, J.R.** The habitat templet and life history strategies of pond skaters (Heteroptera: Gerridae): reproductive potential, phenology, and wing dimorphism, 2432
- Spielman, A.** see Lewengrub, S., 1510
- Spielman, A.** see Zung, J.L., 1737
- Spivak, E.D., and Politis, M.A.** High incidence of limb autotomy in a crab population from a coastal lagoon in the province of Buenos Aires, Argentina, 1976
- Srivastav, A.K., and Rani, L.** Serum calcium and inorganic phosphorus levels of the freshwater snake *Sinonatrix piscator* (formerly *Natrix piscator*) in response to calcitonin treatment, 1335
- Stalker, M.J.** see Flood, P.F., 1143
- St. Aubin, D.J., and Geraci, J.R.** Seasonal variation in thyroid morphology and secretion in the white whale, *Delphinapterus leucas*, 263
- Stedman, R.M.** see Todd, T.N., 1679
- Steel, C.G.H.** see Vafopoulou, X., 2528
- Steele, D.H.** The genus *Anonyx* (Crustacea, Amphipoda) in the North Pacific and Arctic oceans: *Anonyx compactus* group, 1945
- Stephenson, R.O.** see Fay, F.H., 1986
- Stevens, T.A., Duffield, D.A., Asper, E.D., Hewlett, K.G., Bolz, A., Gage, L.J., and Bossart, G.D.** Preliminary findings of restriction fragment differences in mitochondrial DNA among killer whales (*Orcinus orca*), 2592
- Stewart, B.E.** see Stewart, R.E.A., 2147
- Stewart, D.T., Herman, T.B., and Teferi, T.** Littoral feeding in a high-density insular population of *Sorex cinereus*, 2074
- Stewart, J.R.** see Vial, J.L., 68
- Stewart, R.E.A., Stewart, B.E., Lavigne, D.M., and Miller, G.W.** Fetal growth of Northwest Atlantic harp seals, *Phoca groenlandica*, 2147
- Stiffler, D.F.** see Toews, D.P., 3064
- Stiffler, D.F.** Interactions between cutaneous ion-exchange mechanisms and acid-base balance in amphibians, 3070
- Stirling, I.** see Cleator, H.J., 1900
- Stone, G.S.** see Mattila, D.K., 281
- Studd, M.V., and Robertson, R.J.** Influence of age and territory quality on the reproductive behaviour of male Yellow Warblers, 268
- Sudhaus, W., and Nimrich, M.** Rhabditid nematodes from seaweed deposits in Canada with a description of *Rhabditis (Pellioiditis) littorea* n.sp., 1347
- Surlemont, C.** see Radermaker, F., 2090
- Sutherland, D.R.** Seasonal distribution and ecology of three helminth species infecting carp (*Cyprinus carpio*) in northwest Iowa, U.S.A., 692
- Sutter, G.C., and MacArthur, R.A.** Thermoregulatory performance of fledgling American coots (*Fulica americana*) in air and water, 1339
- Svendsen, G.E.** Pair formation, duration of pair-bonds, and mate replacement in a population of beavers (*Castor canadensis*), 336
- Tang, Y.** see McDonald, D.G., 3046
- Taylor, E.B.** Precocial male maturation in laboratory-reared populations of chinook salmon, *Oncorhynchus tshawytscha*, 1665
- Taylor, G.M., and Nol, E.** Movements and hibernation sites of overwintering painted turtles in southern Ontario, 1877
- Taylor, W.R.** see Novak, M., 2052
- Teferi, T.** see Stewart, D.T., 2074
- Telford, S.R.** see Zung, J.L., 1737
- Tester, J.R.** see Kreger, T.J., 2455
- Theberge, J.B., and Wedeles, C.H.R.** Prey selection and habitat partitioning in sympatric coyote and red fox populations, southwest Yukon, 1285
- Thing, H.** see Klein, D.R., 1092
- Thing, H.** see Olesen, C.R., 1116
- Thomas, E.M.** see Langbauer, W.R., Jr., 2604
- Thomopoulos, G.N., Neophytou, E.P., and Kastiris, C.D.** An ultrastructural and histochemical developmental study of *Drosophila auraria* salivary gland cells during the third-instar period, 421
- Thompson, C.S., and Mettrick, D.F.** The effects of 5-hydroxytryptamine and glutamate on muscle contraction in *Hymenolepis diminuta* (Cestoda), 1257
- Thompson, I.D., Davidson, I.J., O'Donnell, S., and Brazeau, F.** Use of track transects to measure the relative occurrence of some boreal mammals in uncut forest and regeneration stands, 1816
- Thomson, J.D.** Reversal of apparent feeding preferences of bumble bees by aggression from *Vespa* wasps, 2588
- Thouveny, Y.** see Coulon, J., 994
- Tiplady, B.A.** see White, R.G., 1125
- Todd, T.N., and Stedman, R.M.** Hybridization of ciscoes (*Coregonus* spp.) in Lake Huron, 1679
- Toews, D.P., and Stiffler, D.F.** The role of the amphibian kidney and bladder in the regulation of acid-base relevant ions, 3064
- Tomalak, M., Welch, H.E., and Galloway, T.D.** Nematode parasites of bark beetles (Scolytidae) in southern Manitoba, with descriptions of three new species of *Sulphuretylenchus* Rühm (Nematoda: Allantonematidae), 2497
- Tome, M.W.** Food patch depletion by ruddy ducks: foraging by expectation rules, 2751
- Tonn, W.M., Paszkowski, C.A., and Holopainen, I.J.** Response of crucian carp populations to differential predation pressure in a manipulated pond, 2841
- Tramu, G.** see Malecha, J., 636
- Trippel, E.A., and Harvey, H.H.** Missing opportunities to reproduce: an energy dependent or fecundity gaining strategy in white sucker (*Catostomus commersoni*)?, 2180
- Trottier, B.L., Rubec, P.J., and Ricard, A.C.** Biochemical separation of Atlantic Canadian redfish: *Sebastes mentella* and *Sebastes norvegicus*, 1332
- Trudeau, D.J.** see Hogans, W.E., 774
- Trudeau, D.J.** see Hogans, W.E., 1080
- Tufts, B.L., and Randall, D.J.** The functional significance of adrenergic pH regulation in fish erythrocytes, 235
- Tufts, B.L.** see Nikinmaa, M., 3039
- Uin, L.M.** see Boeuf, G., 1654
- Upton, S.J.** see McAllister, C.T., 2459
- Vafopoulou, X., Steel, C.G.H., and Laufer, H.** Selective stimulation of puffing activity in vitro with a juvenile hormone analogue by polytene chromosomes in the salivary glands of *Chironomus thummi* (Diptera), 2528
- Vandewalle, P.** see Radermaker, F., 2090
- Vaughan, M.R.** see Hellgren, E.C., 1837
- Verger-Bocquet, M.** see Malecha, J., 636
- Verspoor, E., and Cole, L.J.** Genetically distinct sympatric populations of resident and anadromous Atlantic salmon, *Salmo salar*, 1453

- Vial, J.L., and Stewart, J.R. The manifestation and significance of sexual dimorphism in anguid lizards: a case study of *Barisia monticola*, 68
- Vickery, W.L., Iverson, S.L., Mihok, S., and Schwartz, B. Environmental variation and habitat separation among small mammals, 8
- Vijayan, M.M., and Leatherland, J.F. Cortisol-induced changes in plasma glucose, protein, and thyroid hormone levels, and liver glycogen content of coho salmon (*Oncorhynchus kisutch* Walbaum), 2746
- Vrain, T.C. see Ebsary, B.A., 801
- Walsh, P.J., and Milligan, C.L. Coordination of metabolism and intracellular acid-base status: ionic regulation and metabolic consequences, 2994
- Walsh, W.A., and Lund, W.A., Jr. Oxygen consumption by eggs of the grubby, *Myoxocephalus aeneus*, and the longhorn sculpin, *Myoxocephalus octodecemspinosus*, 1613
- Walsh, W.A., and Lund, W.A., Jr. Erratum: Oxygen consumption by eggs of the grubby, *Myoxocephalus aeneus*, and the longhorn sculpin, *Myoxocephalus octodecemspinosus*, 2857
- Walter, D.E. see Lindquist, E.E., 1291
- Walter, D.E., and Lindquist, E.E. Life history and behavior of mites in the genus *Lasioseius* (Acari: Mesostigmata: Ascidae) from grassland soils in Colorado, with taxonomic notes and description of a new species, 2797
- Wartzok, D. see Elsner, R., 2506
- Wassersug, R.J. see Hoff, K. vS., 2756
- Watts, P., and Gaskin, D.E. A comparison of age determination techniques for the harbour porpoise, *Phocoena phocoena* L., 1832
- Way, C.M., Hornbach, D.J., Deneka, T., and Whitehead, R.A. A description of the ultrastructure of the gills of freshwater bivalves, including a new structure, the frontal cirrus, 357
- Weatherhead, P.J., and Hoysak, D.J. Spatial and activity patterns of black rat snakes (*Elaphe obsoleta*) from radiotelemetry and recapture data, 463
- Weatherhead, P.J. Temporal and thermal aspects of hibernation of black rat snakes (*Elaphe obsoleta*) in Ontario, 2332
- Webster, J.M. see Zervos, S., 1609
- Weckerly, F.W. Plasticity in length of hindgut segments of white-tailed deer (*Odocoileus virginianus*), 189
- Wedeles, C.H.R. see Theberge, J.B., 1285
- Welch, H.E. see Tomalak, M., 2497
- Wheeler, T.A., and Beverley-Burton, M. Systematics of *Onchocleidus* Mueller, 1936 (Monogenea: Ancyrocephalidae): generic revision, 136
- Wheeler, T.A., and Beverley-Burton, M. Systematics of *Onchocleidus* Mueller, 1936 (Monogenea: Ancyrocephalidae): phylogenetic relationships, evolution, and host associations, 706
- Whitaker, D.J. see Kabata, Z., 341
- White, B.N. see Plante, Y., 158
- White, R.G. see Holleman, D.F., 488
- White, R.G., Holleman, D.F., and Tiplady, B.A. Seasonal body weight, body condition, and lactational trends in muskoxen, 1125
- Whitehead, H. see Arnbom, T., 1
- Whitehead, H. see Papastavrou, V., 839
- Whitehead, H. Formations of foraging sperm whales, *Physeter macrocephalus*, off the Galápagos Islands, 2131
- Whitehead, H. Erratum: Formations of foraging sperm whales, *Physeter macrocephalus*, off the Galápagos Islands, 2856
- Whitehead, R.A. see Way, C.M., 357
- Whitten, K.R. see Fancy, S.G., 644
- Whoriskey, F.G., and FitzGerald, G.J. Breeding-season habitat use by sticklebacks (Pisces: Gasterosteidae) at Isle Verte, Quebec, 2126
- Wickham, D.E. see Shields, J.D., 923
- Wiggett, D.R., and Boag, D.A. Intercolony natal dispersal in the Columbian ground squirrel, 42
- Wiggett, A.D.R. see Wiggett, D.R., 1447
- Wiggett, D.R., Boag, D.A., and Wiggett, A.D.R. Movements of intercolony natal dispersers in the Columbian ground squirrel, 1447
- Wiggins, D.A. Consequences of variation in brood size on the allocation of parental care in common terns (*Sterna hirundo*), 2411
- Wiggins, G.B., and Larson, D.J. Systematics and biology for a new Nearctic genus in the caddisfly family Phryganeidae (Trichoptera), 1550
- Wilkins, J.L. see McPhee, M.J., 391
- Williams, C.J., and McMahon, R.F. Annual variation of tissue biomass and carbon and nitrogen content in the freshwater bivalve *Corbicula fluminea* relative to downstream dispersal, 82
- Wilson, M.L. see Adler, G.H., 772
- Wilson, N. see Haas, G.E., 394
- Winterbottom R., and Burridge, M. A new species of *Prionolepis* (Pisces; Gobiidae) from the Pacific plate, with biogeographic comments, 2398
- Winterbottom, R. A revision of the *Trimmatom nanus* species complex (Pisces, Gobiidae), with descriptions of three new species and redefinition of *Trimmatom*, 2403
- Wirgin, I.I., Proenca, R., and Grossfield, J. Mitochondrial DNA diversity among populations of striped bass in the southeastern United States, 891
- Wishart, W.D. see Samson, J., 2493
- Wissinger, S.A. Comparative population ecology of the dragonflies *Libellula lydia* and *Libellula luctuosa* (Odonata: Libellulidae), 931
- Wolff, J.O. see Haas, G.E., 394
- Wong, P.L. see Bartlett, C.M., 2883
- Wong, P.L., Anderson, R.C., and Bartlett, C.M. Development of *Skrjabinoclava inornatae* (Nematoda: Acuarioidae) in fiddler crabs (*Uca* spp.) (Crustacea) and Western Willets (*Catoptrophorus semipalmatus inornatus*) (Aves: Scolopacidae), 2893
- Wood, C.M. see Playle, R.C., 314
- Wood, C.M. see Perry, S.F., 2961
- Woods, R.A., Malone, K.M.B., Spence, A.M., Sigurdson, W.J., and Byard, E.H. The genetics, ultrastructure, and tubulin polypeptides of mebendazole-resistant mutants of *Caenorhabditis elegans*, 2422
- Workman, G.D. see Bailey, R.E., 1757
- Wright, J. see Brussard, P.F., 330
- Wright, P.A. see Randall, D.J., 2936
- Würsig, B. see Dorsey, E.M., 1801
- Xia, X., and Millar, J.S. Dispersion of adult male *Peromyscus leucopus* in relation to female reproductive status, 1047
- Yates, L.R., Daza, M., and Sáiz, F. The energy budget of adult *Pseudopachymerina spinipes* (Er.) (Coleoptera: Bruchidae), 721
- Yoshida-Shaul, E. see Chant, D.A., 1006
- Young, A.D. Spacing behavior of visual- and tactile-feeding shorebirds in mixed-species groups, 2026
- Youngson, A.F., and McLay, H.A. Thyroid hormone levels in flow-challenged adult salmon (*Salmo salar* L.), 1851
- Zaborski, P. see Servan, J., 1279
- Zarnke, R.L. see Haas, G.E., 394
- Zervos, S., and Webster, J.M. Susceptibility of the cockroach *Periplaneta americana* to *Heterorhabditis heliothidis* (Nematoda:

- Rhabditoidea) in the laboratory, 1609
- Zeyl, C.W., and Lowcock, L.A. A morphometric analysis of hybrid salamanders (genus *Ambystoma*) and their progenitors on Kelleys Island in Lake Erie, 2376
- Zung, J. see Lewengrub, S., 1510
- Zung, J.L., Lewengrub, S., Rudzinska, M.A., Spielman, A., Telford, S.R., and Piesman, J. Fine structural evidence for the penetration of the Lyme disease spirochete *Borrelia burgdorferi* through the gut and salivary tissues of *Ixodes dammini*, 1737